

ADVERTISEMENT FOR BIDS

Bleachers for Fair Grounds

Teton County Idaho is requesting Bids for new metal bleachers for the County Fairgrounds, installation is not included. Bids will be accepted at the Teton County Clerk's office until 5 pm April 2, 2014. The Sealed Bids will be opened publicly at 8:00 am April 3, 2014 at the Teton County Courthouse.

Electronic copies of the bleacher specifications and Bid Response Form will be available March 20, 2014 from Fair Board President Harley Wilcox: harleyw@silverstar.com or 208-709-4555. They will also be posted on the county website at www.tetoncountyidaho.gov

In determining the lowest responsive bid, the County will consider all acceptable bids on a basis consistent with the specifications. The County will also consider whether the bidder is a responsible bidder. The successful bidder must meet the requirements of State statutes.

Before a contract is awarded for purchase of the bleachers, the County will conduct such investigation as may be necessary to determine the performance record and ability of the apparent low bidder to deliver the bleachers specified within the desired time frame. No Bid may be withdrawn after the scheduled bid opening.

The County reserves the right to reject any or all Bids received, to waive informalities, to postpone the award of the contract for a period not to exceed thirty days, and to accept the lowest responsive and responsible Bid which is in the best interest of Teton County.

Published in the Teton Valley News March 20 & 27, 2014.





**Teton County Idaho Public Works
Request for Bids
ANGLE FRAME BLEACHER BID**

1) Purpose of Request:

The County of Teton in the State of Idaho ("County") is soliciting responses to this request for bids (RFB) for angle frame bleachers to accommodate approximately 1000 people as per specifications.

2) Time Schedule:

The County will follow the following general timetable:

- a. Issue written RFB March 21, 2014.
- b. Companies may submit written questions concerning this RFB to the Contact Person for receipt no later than 12:00 PM local time on March 31, 2014. Questions received after the stated deadline will not be answered.
- c. Any addenda to the RFB will be posted to the County website (www.tetoncountyidaho.gov) and available at the Teton County Courthouse by 3:00 PM local time on April 1, 2014. No oral statement of any person shall modify or otherwise change or affect the terms or conditions stated in the RFB, and changes to the RFB, if any, shall be made in writing only and issued in the form of an Addendum to the RFB and highlighted in the RFB.
- d. Deadline for Submittal of Responses to RFB (opening);
 - i) The deadline for submitting the responses is April 2, 2014 at 5:00 pm local time.
 - ii) The RFB submittal opening will at the Teton County Courthouse on April 3, 2014 at 8:00 am.

3) Instructions to Proposers:

- a. All responses shall be sent to:
Teton County Fair Board
CO Clerks Office
150 Courthouse Drive
Driggs, ID 83422
208-354-0245
- b. An authorized representative of the firm must complete and sign at least one (1) page of its bid.

4) Terms and Conditions:

- a. The County reserves the right to reject any and all bids, and to waive minor irregularities in any RFB response.
- b. The County reserves the right to request clarification of the information submitted, and to request additional information from any respondent.
- c. Any RFB response may be withdrawn up until the date and time set above for opening of the RFB responses.

5) Scope of Services:

Bleachers shall conform in all respects to the requirements in the attached specification.



Bidder Response Form

Bidder's Corporation/Partnership Name: _____

Bidder's Business Address: _____

Bidder's Phone Number: _____ Bidder's Fax: _____

Bidder's Email: _____

By (Signature): _____

Name (typed or printed): _____

SUBMITTED ON: _____

Base Bid: Angle Frame Bleacher

Item No.	Description	Bid Price
1	Aluminum bleachers-Capacity 1,000	

Bid Alternates

Item No.	Description	Bid Price
1	12-inch Risers with 26 to 30-inch Tread	
2	1-inch x 10-inch Riser at all Rows	
3	66-inch Crosswalks	
4	2 Additional Stairs	

Bid prices listed shall include all applicable taxes and fees.

Bidder acknowledges that estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all unit price Bid items will be based on actual quantities, determined as provided in the final contract documents.

Attach additional material as required to meet submittal requirements.



TETON COUNTY IDAHO FAIR BOARD

BID DEADLINE APRIL 2, 2014 – 5PM

ANGLE FRAME BLEACHER SPECIFICATIONS (ELEVATED) – REVISED 3/21/14

SCOPE

Design of the bleacher shall conform in all respects to the requirements as set forth in these specifications. The description of the bleacher is as follows:

- Number of rows: 15
- Overall length: 112'-6" approx.
- Net seating for approx. 1,000
- 30" or more elevated front crosswalk
- Aluminum angle frame structure
- 2x10 anodized seats
- 8" rise/24" tread (**with option for 12" rise/26" to 30" tread**)
- 2x10 and (1) 2x12 foot plank per row
- 1x8 riser at all rows (**with option for 1x10 riser for 12' rise**)
- (3) 4'-6" aisles with mid-aisle grab rail
- Galvanized chain link guardrail system
- 54" front crosswalk depth (**with option for 66" crosswalk**)
- (2) stairs off the end of crosswalk (**with option for (2) additional stairs off the middle of crosswalk**)
- **Delivered to Teton County Fair Grounds, 1413 N Highway 33 Driggs Idaho 83422**
- Engineer sealed submittal package

UNDERSTRUCTURE

The understructure of the bleacher shall consist of a series of welded aluminum angle frames spaced at intervals of no more than 6'-0" and joined by means of aluminum sway braces. Design of the bleacher shall conform in all respect to the ICC 300/IBC 2012 Edition for bleachers and grandstands.

DESIGN

The bleacher shall be designed to support, in addition to its own weight, a uniformly distributed live load of not less than 100 pounds per square foot of gross horizontal projection of the bleacher. All seat and foot plank members shall be designed to support not less than 120 pounds per lineal foot. The bleacher shall be designed to resist, with or without live load, a horizontal wind load appropriate for local conditions.

AISLES

There shall be three 4'-6" wide vertical aisles located within the bleacher leading to the front walkway. Aisle extension plank shall be provided to close the horizontal opening in the aisle. Aisle shall be provided with a handrail, in accordance with requirements of ICC 300/IBC 2012.

WARRANTY

All aluminum bleachers shall carry, after proper erection, and under normal use for this type of structure, a One (1) year warranty against all defects in materials and workmanship. Acts of vandalism or abuse shall render the conditions of this warranty null and void.